

# Safety Data Sheet


according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

## 1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Bahama Breeze
- **Article number:**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation** Car Wash Drying Agent and Wax
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Atlas Chemical  
4626 Eagle Falls Place  
Tampa, FL 33619
- **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



## 2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The following classifications are applicable only to the general GHS regulations and not the specific CLP regulation: Flammable Liquid 4 (2,6/4).  
The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H227.  
H227: Combustible Liquid. (General GHS and USA only)
- 
 GHS08 health hazard  
 Asp. Tox. 1    H304 May be fatal if swallowed and enters airways.
- 
 GHS07  
 Skin Sens. 1B    H317 May cause an allergic skin reaction.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
- 
 Xn; Harmful  
 R20/21-65: Harmful by inhalation and in contact with skin. Harmful: may cause lung damage if swallowed.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 1)

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

### Hazard pictograms



GHS07 GHS08

### Signal word Danger

### Hazard statements

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P331 Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Hazard description:

### WHMIS-symbols: Not hazardous under WHMIS.

### NFPA ratings (scale 0 - 4)



Health = 2

Fire = 0

Reactivity = 0

### HMIS-ratings (scale 0 - 4)



Health = 2

Fire = 0

Reactivity = 0

### HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 2)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

|                                                                    |                                                                                                                                                            |        |
|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| CAS: 111-76-2<br>EINECS: 203-905-0<br>Index number: 603-014-00-0   | 2-butoxyethanol<br>☒ Xn R20/21/22; ☒ Xi R36/38<br>☒ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332;<br>Skin Irrit. 2, H315; Eye Irrit. 2, H319 | < 10%  |
| CAS: 64742-46-7<br>EINECS: 265-148-2<br>Index number: 649-221-00-X | Distillates (petroleum), hydrotreated middle<br>Carc. Cat. 2                                                                                               | 20-40% |

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Protect unharmed eye.  
Rinse opened eye for several minutes under running water.  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.  
A person vomiting while laying on their back should be turned onto their side.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Breathing difficulty  
Coughing  
Dizziness

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 3)

Gastric or intestinal disorders

- **Hazards**

- Danger of pulmonary oedema.

- Danger of impaired breathing.

- **4.3 Indication of any immediate medical attention and special treatment needed**

- If swallowed or in case of vomiting, danger of entering the lungs.

## 5 Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents:**

- CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **For safety reasons unsuitable extinguishing agents:** None.

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

- **5.3 Advice for firefighters**

- **Protective equipment:**

- Wear self-contained respiratory protective device.

- Wear fully protective suit.

- **Additional information** Cool endangered receptacles with water spray.

## 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

- Use respiratory protective device against the effects of fumes/dust/aerosol.

- Product forms slippery surface when combined with water.

- Keep away from ignition sources.

- Wear protective equipment. Keep unprotected persons away.

- Ensure adequate ventilation

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **6.3 Methods and material for containment and cleaning up:**

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- Dispose contaminated material as waste according to item 13.

- **6.4 Reference to other sections**

- See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.

## 7 Handling and storage

- **7.1 Precautions for safe handling**

- Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.

- **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 4)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Provide ventilation for receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

### Ingredients with limit values that require monitoring at the workplace:

#### 111-76-2 2-butoxyethanol

|             |                                                                                                            |
|-------------|------------------------------------------------------------------------------------------------------------|
| IOELV (EU)  | Short-term value: 246 mg/m <sup>3</sup> , 50 ppm<br>Long-term value: 98 mg/m <sup>3</sup> , 20 ppm<br>Skin |
| PEL (USA)   | 240 mg/m <sup>3</sup> , 50 ppm<br>Skin                                                                     |
| REL (USA)   | 24 mg/m <sup>3</sup> , 5 ppm<br>Skin                                                                       |
| TLV (USA)   | 97 mg/m <sup>3</sup> , 20 ppm<br>BEI                                                                       |
| EL (Canada) | 20 ppm                                                                                                     |
| EV (Canada) | 20 ppm<br>Skin                                                                                             |

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.

### Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol

|           |                                                                                                            |
|-----------|------------------------------------------------------------------------------------------------------------|
| BEI (USA) | 200 mg/g creatinine<br>Medium: urine<br>Time: end of shift<br>Parameter: Butoxyacetic acid with hydrolysis |
|-----------|------------------------------------------------------------------------------------------------------------|

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.

(Contd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 5)

- **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

See Section 7 for additional information.

No further relevant information available.

## 9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Liquid

Colour: Blue

- Odour: Fruit

- Odour threshold: Not

- pH-value at 20 °C: determined.

- **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 6)

|                                                   |                                               |
|---------------------------------------------------|-----------------------------------------------|
| · <b>Flash point:</b>                             | Not applicable.                               |
| · <b>Flammability (solid, gaseous):</b>           | Not applicable.                               |
| · <b>Ignition temperature:</b>                    | 240 °C (464 °F)                               |
| · <b>Decomposition temperature:</b>               | Not determined.                               |
| · <b>Self-igniting:</b>                           | Product is not self-igniting.                 |
| · <b>Danger of explosion:</b>                     | Product does not present an explosion hazard. |
| · <b>Explosion limits:</b>                        |                                               |
| Lower:                                            | Not determined.                               |
| Upper:                                            | Not determined.                               |
| · <b>Vapour pressure:</b>                         | Not determined.                               |
| · <b>Density at 20 °C:</b>                        | 0,9 g/cm <sup>3</sup>                         |
| · <b>Relative density</b>                         | Not determined.                               |
| · <b>Vapour density</b>                           | Not determined.                               |
| · <b>Evaporation rate</b>                         | Not determined.                               |
| · <b>Solubility in / Miscibility with water:</b>  | Not miscible or difficult to mix.             |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                               |
| · <b>Viscosity:</b>                               |                                               |
| Dynamic:                                          | Not determined.                               |
| Kinematic:                                        | Not determined.                               |
| · <b>Solvent content:</b>                         |                                               |
| Organic solvents:                                 | Not determined.                               |
| Solids content:                                   | Not determined.                               |
| · <b>9.2 Other information</b>                    | No further relevant information available.    |

## 10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with strong oxidizing agents.  
Reacts with peroxides and other radical forming substances.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 7)

- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

## 11 Toxicological information

- **11.1 Information on toxicological effects**

- **Acute toxicity:**

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** Sensitizing effect by skin contact is possible by prolonged exposure.

- **Subacute to chronic toxicity:** Vapours have narcotic effect.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

- **Repeated dose toxicity** Repeated exposures may result in skin and/or respiratory sensitivity.

## 12 Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:** The product contains materials that are harmful to the environment.

- **12.2 Persistence and degradability** The product is partly biodegradable. Significant residuals remain.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- **Additional ecological information:**

- **General notes:**

This statement was deduced from products with a similar structure or composition.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 8)

## 13 Disposal considerations

### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

#### · Uncleaned packaging:

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## 14 Transport information

### · 14.1 UN-Number

· DOT, ADR, ADN, IMDG, IATA N/A

### · 14.2 UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA N/A

### · 14.3 Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class N/A

### · 14.4 Packing group

· DOT, ADR, IMDG, IATA N/A

### · 14.5 Environmental hazards:

· Marine pollutant: No

### · 14.6 Special precautions for user

Not applicable.

### · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

### · UN "Model Regulation":

-

## 15 Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

#### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

#### · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 9)

· **TSCA (Toxic Substances Control Act):**

64742-46-7 Distillates (petroleum), hydrotreated middle

111-76-2 2-butoxyethanol

· **Proposition 65 (California):**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic Categories**· **EPA (Environmental Protection Agency)**

111-76-2 2-butoxyethanol

CBD

· **IARC (International Agency for Research on Cancer)**

111-76-2 2-butoxyethanol

3

· **TLV (Threshold Limit Value established by ACGIH)**

111-76-2 2-butoxyethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Canada**· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

111-76-2 2-butoxyethanol

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

(Contd. on page 11)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 4-1-23

Revision: 4-1-23

Trade name: Bahama Breeze

(Contd. of page 10)

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R36/38 Irritating to eyes and skin.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

**Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

